Annagh N.S.

Risk Assessments to minimise the risk of being exposed to Covid-19

This process involved consultation with all our Staff and B.O.M.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Annagh N.S. to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into our Safety Statement in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and Public Health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are re-assessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in the **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5

Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Moderate Injury and damage to property	
Minor	Minor injury or illness, minor property or equipment damage	
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the risk.
	If an incident were to occur, it would be likely	Risk reduction measures should be implemented urgently within a defined time
	that an injury requiring medical treatment would	period and it might be necessary to consider suspending or restricting the
	result.	activity or to apply interim control measures until this has been completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as required
	some chance that an injury requiring First Aid	to ensure they remain suitable and sufficient.
	treatment would result	
1 – 5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks	Risk Communication, Education and Training	Risk Rating	Action implementation
urrecteu.		Controls	with controls	

Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women	The B.O.M. OF Annagh N.S. will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school. The staff will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within Annagh N.S. and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches.	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste •Death	The Board of Management will: ✓ Ensure that all staff receive necessary training prior to returning to work ✓ Provide posters, information and electronic message boards to increase awareness of Covid-19 among staff and pupils ✓ Promote safe individual practices within the school campus ✓ Engage with staff in providing feedback on the preventive measures and their effectiveness ✓ Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation ✓ Emphasise the effectiveness of adopting protective measures especially good personal hygiene ✓ Provide specific training in the proper use of PPE for staff, where required	
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in			
Assessment Date: Who may be affected?	June, 2020 Identified Risks	Assessor's Name: Hygiene	Risk Rating with controls Action implementation
		Controls	

Controls

All staff Pupils	Spread of Covid-19 virus	The BoM will ensure that all staff can wash their hands regularly. Hot water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available	Board of Management Principal
Visitors	Persons currently deemed	throughout Annagh N.S. Staff should:	L.W.R.
Contractors	most at risk of complications	✓ Wash their hands properly and often. Hands should be washed:	D.L.W.R.
Public	if they catch the coronavirus	 After coughing or sneezing 	Staff
	are:	 Before and after eating or preparing food 	Visitors
	• 60 years of age and over	 Before and after using protective gloves 	
	• have long-term medical	 When arriving and leaving the school campus 	
	conditions – i.e. heart disease,	 After toilet use 	
	lung disease, high blood	✓ Cover their mouth and nose with a tissue or their sleeve when coughing	
	pressure, diabetes or cancer	and sneezing.	
	• pregnant women	✓ Put used tissues into a bin and wash their hands	Requires
		✓ Develop a routine of incresed cleaning and disinfecting of frequently	monitoring
	Known effects of the	touched objects and surfaces	
	coronavirus:	The BoM will supply required cleaning products, will ensure the correct use	
	• A fever (high temperature of	and storage of disinfectants and will ensure all products are stored safely and	
	37.5 degrees Celsius or	securely.	
	above)	No employees are permitted to attend work if they display any of the	
	• A cough - this can be any		
	kind of cough, not just a dry	✓ Fever (temperature of 37.5 degrees or above)	
	cough	✓ Cough	
	• Shortness of breath or	✓ Shortness of breath	
	breathing difficulties	✓ Breathing difficulties	
	• Loss of sense of smell	Any Staff Member displaying symptoms must self-isolate and not attend	
	• Loss of sense of taste or		
	distortion of sense of taste	Any staff member living with someone who is self-isolating or waiting for	
	•Death	a Covid-19 test must restrict their movements for 14 days.	
		Any Staff Member who has tested positive for Covid-19	
		must not return to work until deemed fit to do so and upon approval of their	
		medical advisor	
		Staff can follow https://www2.hse.ie/ for regular updates or can contact	
		HSELive for advice 1850 241850	
Risk Level Calcul	lation	Risk Level Action	
(a) Severity of ris	k/injury 1=trivial, 2=slight, 3=mod	erate, 4=major, 5=fatality	
(b) Likelihood of	•	ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring	

(b) Likelihood of event (c) Risk Rating = (a) X (b) 6-10 Medium risk Requires monitoring
11-15 Severe risk Requires immediate further action and control
16-25 Emergency risk Halt activity and review immediately

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Appropriate social distancing markings will be in place ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records retained ✓ Toilet facilities are cleaned regularly ✓ All drinking water facilities will be shut down ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areas to be available where social distancing guidelines can be applied ✓ There is a plan in place for using communal facilities ✓ Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow 	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Visitors

Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Who may be affected?	Identified Risks	Social Distancing Controls	Risk Rating with controls	Action implementation
Pupils Visitors Contractors Public Com catcl	sons currently deemed st at risk of applications if they che the coronavirus are: 0 years of age and over lave long-term medical ditions — i.e. heart ease, lung disease, high od pressure, diabetes or cer regnant women own effects of the onavirus: A fever (high aperature of 37.5 grees Celsius or above) cough - this can be any d of cough, not just a cough shortness of breath or athing difficulties loss of sense of smell loss of sense of taste or cortion of sense of taste	classrooms and in common spaces, such as entrances/exits, , communal areas, where congregation or queuing of staff, or students or visitors might occur. ✓ PLEASE NOTE, The numbers of pupils in (3 rd and 4 th) is 26 and (5 th and 6 th) is 30. Both classes are too large for the size of their respective rooms of 35.5.m squared, to maintain adequate social distancing. ✓ Either 3 rd and 4 th or 5 th and 6 th , will use our G.P. room as their classroom, this year, to maintain social distancing. ✓ PLEASE NOTE: The Dept will be asked for permission to employ a Fixed Term Teacher so that we can utilise the spare room vacated by the class in the Hall, by dividing the other two classes and so maintain social distancing, consistent with effective epidemic control measures in our classrooms.	Emergency Emergency Emergency Requires Monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team Visitors

✓	Meetings of staff will take place while maintaining social distancing, or	
	online by using teleconferencing facilities	

- ✓ There is currently a strict no handshaking or hugging policy in place within our school.
- ✓ All staff, contractors and visitors should avoid direct physical contact with any other person as far as possible.

Where 2 metre distance cannot be maintained

Requirements for personnel working within 2 metres of each other (where activity cannot be suspended):

- ✓ No person has symptoms of Covid-19
- ✓ The close contact work cannot be avoided
- ✓ Installation of physical barriers e.g. clear plastic sneeze guards
- ✓ PPE is present in line with the approved risk assessment and public health advice
- ✓ Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly

Risk Level Calculation	Risk Level Action
	1-5 Trivial risk Acceptable
(a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality	6-10 Medium risk Requires monitoring
(b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	11-15 Severe risk Requires immediate further action and control
(c) Risk Rating = (a) X (b)	16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Who may be affected?	Identified Risks		eaning ontrols	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	 ✓ Staff are responsible for cleaning work and items handled at work of personal items that they bring to leaving them down on communications after the personal item is ✓ Cleaning staff will be trained in school ✓ Sufficient cleaning materials a increased cleaning ✓ Cleaning staff will be instructed aware of the need to wash their has before and after wearing gloves ✓ System in place for the disposable rubbish bag. ✓ Current HSE guidance recommender. from a person suspected of hand stored in a secure area for 72 waste collection ✓ System in place to make sure received and non-disposable cloths 	e with DES and public health guidance. g personal items that have been brought to or during breaks. Staff are advised to clean to work (e.g. mobile phones) and to avoid all surfaces or they will need to clean the removed in the new cleaning arrangements for the end PPE will be available to allow for the did to wear gloves when cleaning and are ands thoroughly with soap and water, both to be of cleaning cloths and used wipes in a lends waste such as cleaning waste, tissues having Covid-19 should be double bagged thours, before being presented for general cusable cleaning equipment including mop are clean before re-use quipment such as buckets are emptied and	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team
Risk Level Calculati (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ntrol
Assessment Date:	June, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Office and administration areas Controls	Risk Rating with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Office / Computer Room capacity to be controlled to facilitate the maintenance of physical distancing between designated workstations and staff The number of pupils and or staff permitted to work in any room at any particular time shall be decided by the size of the room and the ability to maintain social distancing, as a necessary control measure to protect health and safety. 	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team

Risk Level Calculation (a) Severity of risk/injury	l=trivial 2=slight 3=m	oderate, 4=major, 5=fatality	Risk Level Action 1-5 Trivial risk Acceptable
(b) Likelihood of event 1	=rare, 2=unlikely, 3=li	kely, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring
(c) Risk Rating = (a) X (b)			11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020)		Assessor's Name:

Who may be affected?	Identified Risks	Use of PPE Controls	Risk Rating with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-masks-disposable-gloves.html Face masks will be available to all staff for optional use or Staff may purchase their own, while adhering to the H.S.E. guidelines and be re-imbursed by Annagh N.S Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. Disposable gloves will be available in our school for specific purposes as outlined in our plan. *Face coverings are not recommended to be worn by children under 13 years.	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Tea
Risk Level Calculat (a) Severity of risk/i		noderate, 4=major, 5=fatality Risk Level Action 1-5 Trivial risk Acceptable		

(b) Likelihood of event (c) Risk Rating = (a) X (b)	1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2	2020	Assessor's Name:

Who may be affected?	Identified Risks	Handling books and other resources during Covid- 19	Risk Rating with controls	Action implementation
Staff,SNA, school secretary, Cleaner	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 The Board of Management has to prepare for the return of school books (book rental scheme) and other resource materials (including IT equipment) so that these will be available to pupils for the start of the new school year. The following guidelines are recommended for staff when receiving or assisting in compiling resource packs: Maintain physical distancing (currently 1 metre) Observe good hygiene (hand washing and respiratory etiquette, do not touch your eyes, nose, mouth with unwashed hands, etc.) before and after handling books and other materials returned to the school Follow the agreed school protocols if you are displaying symptoms of Covid-19 Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. Quarantining means placing these items in sealed bags that are labelled with the time and date of the start of the 72-hour quarantine period. These bags should be stored in a separate location away from active work areas within the school. Following the expiry of the 72-hour quarantine period the items may be cleaned and prepared for the next school year Hands should be washed in line with relevant guidance 	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team
Risk Level Calculati (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mode ent 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 4-very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Using hand tools or equipment	Risk Rating	Action implementation
affected?	Idenutied Risks	Controls	with controls	Action implementation
All staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Staff must wear the appropriate PPE for the nature of the work that they are undertaking ✓ All tools and equipment must be properly sanitised to prevent cross contamination. ✓ Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable ✓ Cleaning material will be available so that all tools can be wiped down with disinfectant between each use ✓ All mobile machinery must be thoroughly cleaned and santisied prior to use 	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team
Risk Level Calculat (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a	injury 1=trivial, 2=slight, 3=modera vent 1=rare, 2=unlikely, 3=likely,			ntrol

Assessment Date: June, 2020 Assessor's Name:

Who may be affected?	Identified Risks	Dealing with a suspecte		Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	designated areas and the route to the accessible and as far as is reasonable by people with disabilities. The possible displaying signs of Covid-19 needs to isolation areas available or another additional cases must be planned. It we area has the ability to isolate the personant area has the ability to isolate the personant individual to the designated isolation at least 2 metres away from the sympthat others maintain a distance of at 1 person at all times. ✓ Provide a mask for the person pravailable. He/she should wear the metapeople or while exiting the premises. ✓ Assess whether the individual we immediately be directed to go how continue self-isolation at home. ✓ Facilitate the person presenting with they cannot immediately go home and The individual should avoid touching should be given to the person presenting with they cannot immediately go home and the person presenting should be given to the person presenting should be given to the person presenting with they cannot immediately go home and the person presenting with they cannot immediately go home and the person presenting with they cannot immediately go home and the person presenting with they cannot immediately go home and the person presenting with they cannot immediately go home and the person presenting with they cannot immediately go home and the person presenting with the person	chable within the school building The the designated area should be easily and practicable, should be accessible ibility of having more than one person to be considered so having additional recontingency plan for dealing with would be important that the designated son away from other workers. 1-19 the following procedure is to be occedure in place to accompany the nearea via the isolation route, keeping ptomatic person and also making sure least 2 metres from the symptomatic presenting with symptoms if one is mask if in a common area with other who is displaying symptoms can me, call their doctor if needed and the symptoms remaining in isolation if and facilitate them calling their doctor. It is greatly gr	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team
Risk Level Calculat (a) Severity of risk/		noderate, 4=major, 5=fatality Risk 1-5	sk Level Action 5 Trivial risk Acceptable		

(b) Likelihood of event (c) Risk Rating = (a) X (b)	1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2	2020	Assessor's Name:

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 (continued) Controls	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used ✓ If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. ✓ Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. ✓ Arrange for appropriate cleaning of the isolation area and work areas involved. 	with controls	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team

Risk Level Calculation	Risk Level Action
(a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	1-5 Trivial risk Acceptable6-10 Medium risk Requires monitoring
(c) Risk Rating = (a) X (b)	11-15 Severe risk Requires immediate further action and control
	16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Who may be affected?	Identified Risks	Covid-19 cleaning Controls	Risk Rating with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	All cleaning will be undertaken in line with DES and public health guidance. ✓ It is recommended cleaning an area with normal household disinfectant af ter a suspected coronavirus (Covid-19) case. This wil reduce the risk of passing the infection on to other people ✓ The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours ✓ For cleaning purposes, wear a face mask, disposable or washing up glove s. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished. ✓ Using a disposable cloth, clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, and door handles ✓ If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron ✓ Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning ✓ Public areas where a symptomatic individual has passed through and spent minimal time, such as corridors, but which are not visibly contaminated with body fluids can be cleaned as normal. ✓ All surfaces that the symptomatic person has come into contact with m	Serious Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Cleaning staff
Risk Level Calculat (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a	tion injury 1=trivial, 2=slight, 3=n vent 1=rare, 2=unlikely, 3=l	Risk Level Action 1-5 Trivial risk Acceptable ikely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate fur 16-25 Emergency risk Halt activity and review		ntrol

Assessment Date: June, 2020 Assessor's Name:

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 Controls	Risk Rating with controls	Action implementation
Staff Pupils Visitors	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough	All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all surfaces, floors, chairs, door handles and sanitary fittings, using approved a detergent and disinfectant in line with the manufacturer's instruction for dilutio application and contact times Disinfectants used should be effective against viruses. Additionally: Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into was bags as outlined below. When items cannot be cleaned using detergents or laundered (upholstered furnitu of mattresses for example) steam cleaning should be used Any items that have been heavily contaminated with body fluids and that cannot I cleaned by washing should be disposed of. If possible, keep the area closed off and secure for 72 hours. After this time the amount of irus contamination will have decreased substantially, and cleaning can take place as normal.	Serious Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Cleaning staff
Risk Level Calculati (a) Severity of risk/ii (b) Likelihood of every	njury 1=trivial, 2=slight, 3=n	Risk Level Action 1-5 Trivial risk Acceptable ikely, 4=very likely, 5=inevitable Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring		

(c) Risk Rating = (a) X (b)	11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Staff Pupils Visitors Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death Waste Management Waste should be put in a plastic rubbish bag and tied when full The plastic bag should then be placed in a second bin bag and tied when full The plastic bag should then be placed in a second bin bag and tied when full The plastic bag should then be placed in a second bin bag and tied when full The plastic bag should then be placed in a second bin bag and tied when full The plastic bag should be put in a plastic rubbish bag and tied when full The plastic bag should then be placed in a second bin bag and tied when full The plastic bag should be put in a suitable and secure place and marked for storage until the individual's test results are known A ll waste should be put in a suitable and secure place and marked for storage until the individual's test results are known A ll waste should be put in a suitable and secure place and marked for storage until the individual's test results are known A ll waste should be put in a suitable and secure place and marked for storage until the individual's test results are known Serious Requires Monitoring Heading and tied What a languagement principal L.W.R. Cleaning staff The plastic value as the sequire at the normal waste. Serious Requires Horididal tests positive, Waste should be put in a suitable and secure place and marked for storage with a languagement of the place and served by an in the storage and tied when full L.W.R. D.L.W.R. Cleaning staff The plastic va	Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 (continued)	Risk Rating with controls	Action implementation
Pupils Visitors Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of state or distortion of sense of taste or distortion of sense of taste			Controls		
	Pupils	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	 Waste should be put in a plastic rubbish bag and tied when full The plastic bag should then be placed in a second bin bag and tied It should be put in a suitable and secure place and marked for storage until the individual's test results are known Al lwaste should be stored safely and kept away from children. You should not put waste in communal waste areas until negative test results are known or the waste has been stored for at least 72 hours If the individual tests negative, Wastecan be put in with the normal waste. Ifindividual tests positive, then store it for at least 72 hours and put in with the normal waste. 	Requires	L.W.R. D.L.W.R.

(b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=version (c) Risk Rating = (a) X (b)	y likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 2020	Assessor's Name:

Who may be affected?	Identified Risks	Travel to and from work Controls	Risk Rating with controls	Action implementation
Staff	complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or	handles,roofstraps,isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly	Requires monitoring	All staff
	cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death			
Risk Level Calculati (a) Severity of risk/in		noderate, 4=major, 5=fatality Risk Level Action 1-5 Trivial risk Acceptable		

(b) Likelihood of event (c) Risk Rating = (a) X (b)		6-10 Med 11-15 Seve 16-25 Eme	ere risk I	Requires monitoring Requires immediate further action and control Halt activity and review immediately
Assessment Date: June, 20	20	Assessor's	Name:	

Assessment Date:	June, 2020	Assessor's Name:		
Who may be affected?	Identified Risks	Dropping off and picking up of pupils Controls	Risk Rating with controls	Action implementation
Staff Pupils Parents/guardia ns Bus and taxi drivers Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any	On arrival pupils will make their way via their assigned Stile and line up outside of their assigned classroom door. Pupils will not play or mix with other children until the Yard is Supervised by a Staff member after 9.10am.	Requires monitoring	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team Bus and taxi drivers

Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b)	1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: June, 20	020	Assessor's Name:

Who may be affected?	Identified Risks	Visitors to school	Risk Rating	Action implementation
		Controls	with controls	*

Staff Pupils Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	the school premises. Visits to the school will be severely results. Make a prior appoint Remain at home if the Follow the agreed Construction Sanitise before entered Attendance to be record Wear a face mask Adhere to social distension Not to loiter — compared to the school of the	ntment before visiting the school hey have any Covid-19 symptoms Covid-19 protocols for the school	Board of Management Principal L.W.R. D.L.W.R. Staff Response Plan Team Requires monitoring
Risk Level Calculat (a) Severity of risk/ (b) Likelihood of ev	injury 1=trivial, 2=slight, 3=n vent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11.15 Severe risk Requires immediate furth	or action and control
(c) Risk Rating = (a			11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i	
Assessment Date:	June, 2020		Assessor's Name:	

Who may be affected? Identified Risks	Management of deliveries and supplies to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions — i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Ensure that all delivery transactions comply with physical distancing requirements Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate 	Requires monitoring	Board of Management Principal Staff L.W.R. D.L.W.R. Delivery personnel

(b) Likelihood of event (c) Risk Rating = (a) X (b)	1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately